

---

# APPROVAL SHEET

## 请 承 认 书

客 户 : \_\_\_\_\_  
产品型号 : EE10-10-BKS-P4  
规 格 : 平面 AL=1800±25%  
nH/ N2  
日 期 : 2015/12/03

客户认可：  
APPROVAL BY  
(为确保订单顺利，请在 1 个月内认可或回复)

如有客户品码(料号)，请填写在下

客户品码(料号): \_\_\_\_\_

---

请承认书      APPROVAL SHEET

I. 认可标准 SPECIFICATION FOR APPROVAL:

产品 ITEM:      FERRITE CORE

产品型号 P/N:      EE10-10-BKS-P4

客户 CUSTOMER:


批 准 APPROVED BY <b>沈根东</b>	审 核 CHECKED BY <b>姚关泉</b>	准 备 PREPARED BY <b>沈晓萍</b>
----------------------------------	---------------------------------	----------------------------------

<b>Item:</b> <b>FERRITE CORE</b>	<b>P/N:</b> <b>EE10-10-BKS-P4</b>	<b>SPEC./N:</b>
-------------------------------------	--------------------------------------	-----------------



请承认书      APPROVAL SHEET

4.尺寸 Dimensions:(mm)



A:  $10.6 \pm 0.3$

B:  $5.5 \pm 0.3$

C:  $9.8 \pm 0.2$

D:  $2.5 \pm 0.2$

E<sub>min</sub>: 7.5

F:  $4.2 \pm 0.3$

**AE:26.47mm<sup>2</sup>**

**VE:683.6mm<sup>3</sup>**

Item:

FERRITE CORE

P/N:

EE10-10-BKS-P4

SPEC./N:

---

请承认书      APPROVAL SHEET

---

5. 外观质量: Outside Quality:

a.磁芯表面应无明显氧化,铁锈,油渍,及裂缝.

磁芯表面清洁,无肉眼可见疏松铁氧体或其它附着物。

There are no crack and oxide in the ground surface of core.

b.磁芯表面上掉块面总面积不超过 2.0mm<sup>2</sup>,数量不多于三处。

The total chip square should be no more than 2.0 mm<sup>2</sup>and quantity should be no than 3.

6.检验方法 (Inspection Method):

按 GB2828-87,一次正常抽样,检查水平 II, AQL 符合下列标准。

According to GB2828-87, one time normal random sampling,Inspect level II, AQL should be as follows;

	AQL	Inspect Item
A	0.65	Electromagnetic Property
B	1.0	Outside Size
C	1.5	Outside Quality

7.包装 Packing:

内包装:泡塑;外包装采用纸箱,每箱产品外面都贴上产品合格证(包括型号、规格、材质、数量、批号、检验员)和环保标签。

Inside packing TBD, paper box is used to outside packing, Quality Certification is attached on every box, including Item (Product name or type), Quantity, Lot No.and Tester.

tem:

FERRITE CORE

P/N:

EE10-10-BKS-P4

SPEC./N: