

---

# APPROVAL SHEET

## 请 承 认 书

客 户 : \_\_\_\_\_  
产品型号 : EE17-10-BKS-P4  
规 格 : 平面 AL=2400±25%  
nH/ N2  
日 期 : 2017/6/1

客户认可：  
APPROVAL BY  
(为确保订单顺利，请在 1 个月内认可或回复)

如有客户品码(料号)，请填写在下

客户品码(料号): \_\_\_\_\_

---

请承认书      APPROVAL SHEET

I. 认可标准 SPECIFICATION FOR APPROVAL:

产品 ITEM:      FERRITE CORE

产品型号 P/N:      EE17-10-BKS-P4

客户 CUSTOMER:

批 准 APPROVED BY	审 核 CHECKED BY	准 备 PREPARED BY
--------------------	-------------------	--------------------

<b>Item:</b> FERRITE CORE	<b>P/N:</b> EE17-10-BKS-P4	<b>SPEC./N:</b>
------------------------------	-------------------------------	-----------------

请承认书      APPROVAL SHEET

1.产品型号 P/N:    **EE17-10-BKS-P4**

2.材质 Material:    BKS-P4

3.电磁性能 Electromagnetic property:

3.1 测试项目及测试条件 Test Item & **Condition:**

项目 1 Item1:                            电感系数 Inductor Value:

测试条件 Test Condition:

\*测试仪器 Testing Instrument:    LCR2810

\*测试频率 Test Frequency:        1KHZ

\*测试电压 Test Voltage:            0.3V

\*测试温度 Test Temperature:      25±3℃

\*测试圈数 Test Turns:              100TS


3.2 电感系数 Inductor Value:

$$AL=2400 \pm 25\%nH/ N^2$$

Item:	P/N:	SPEC./N:
FERRITE    CORE	<b>EE17-10-BKS-P4</b>	

请承认书 APPROVAL SHEET

4.尺寸 Dimensions:(mm)



A:  $16.9 \pm 0.3$       B:  $7.4 \pm 0.4$       C:  $9.8 \pm 0.3$   
D:  $4.0 \pm 0.2$       Emin: 12.6      F:  $5.4 \pm 0.4$   
AE: 39.4      LE: 38.9      VE: 1536.2

Item:

FERRITE CORE

P/N:

EE17-10-BKS-P4

SPEC./N:

请承认书      APPROVAL SHEET

7. 外观质量: Outside Quality:

a.磁芯表面应无明显氧化, 铁锈, 油渍,及裂缝.

磁芯表面清洁, 无肉眼可见疏松铁氧体或其它附着物。

There are no crack and oxide in the ground surface of core.

b.磁芯表面上掉块面总面积不超过 2.0mm<sup>2</sup>,数量不多于三处。

The total chip square should be no more than 2.0 mm<sup>2</sup>and quantity should be no than 3.

8.检验方法 (Inspection Method):

按 GB2828-87, 一次正常抽样, 检查水平 II, AQL 符合下列标准。

According to GB2828-87, one time normal random sampling,Inspect level II , AQL should be as follows;

	AQL	Inspect Item
A	0.65	Electromagnetic Property
B	1.0	Outside Size
C	1.5	Outside Quality

9.包装 Packing:

内包装:泡塑; 外包装采用纸箱,每箱产品外面都贴上产品合格证 (包括型号、规格、材质、数量、批号、检验员) 和环保标签。

Inside packing TBD, paper box is used to outside packing, Quality Certification is attached on every box, including Item (Product name or type), Quantity, Lot No.and Tester.

tem:

FERRITE CORE

P/N:

**EE17-10-BKS-P4**

SPEC./N: